according to Regulation (EC) No 1907/2006 (REACH)

YOKOGAWA

Part No: K9088PE Rev.1.00 Revision date: 9th May 2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier : Polishing powder (Alumina)

Substance name : Aluminum oxide

CAS No. : 1344-28-1 **EC No** : 215-691-6

1.2. Relevant identified uses of the substance or mixture and uses advised against

Polishing powder for electrodes

1.3 Details of the supplier of the safety data sheet:

Manufacture:

Name Yokogawa Electric Corporation

Address 2-9-32 Nakacho, Musashino-shi, Tokyo, 180-8750 Japan

Phone 81-422-52-5649

(Product Analyzer Marketing Dept., Analyzer Center, IA-PS)

Website http://www.yokogawa.com

Importer (only in Europe):

Name Yokogawa Europe B.V. (Regional Headquarters in EU)
Address Euroweg 2, 3825 HD Amersfoort, The Netherlands
Postal Address P.O. Box 163, 3800 AD Amersfoort, The Netherlands

Phone +31-(0)88-4641000
Website www.yokogawa.com/eu
E-Mail info@nl.yokogawa.com

1.4 Emergency telephone number (only in Europe):

+31-88-4641000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture:

Hazard Class and Category Code(s): according to Regulation (EC) No 1272/2008 [CLP]

Not classified

Hazard Class and Category Code(s): according to JIS Z 7252(Japanese standard)

Specific target organ toxicity after single exposure, Category 3; H335 Specific target organ toxicity after repeated exposure, Category 1; H372

2.2 Label elements

2.2.1 Labelling according to Regulation (EC) No 1272/2008 [CLP]

Product identifier: Polishing powder (Alumina)

Substance name : Aluminum oxide

CAS No. : 1344-28-1

according to Regulation (EC) No 1907/2006 (REACH)

YOKOGAWA

Part No: K9088PE Rev.1.00 Revision date: 9th May 2019

EC No : 215-691-6

Hazard pictograms : Not classified

Signal word : Not classified

Hazard statements : Not classified

Precautionary statements: Not classified

Supplemental Hazard information (EU) : Not applicable.

2.2.2 Labelling according to JIS Z 7252; 2014 and JIS Z 7253; 2012 (Japanese standard)

Product identifier : Polishing powder (Alumina)

Substance name : Aluminum oxide CAS No. : 1344-28-1 EC No : 215-691-6

Hazard pictograms:





Signal word : Danger

Hazard statements: May cause respiratory irritation

Causes damage to lungs through prolonged or repeated inhalation

Precautionary statements:

Do not breathe dust.

Wash hands thoroughly after handling.

Do no eat, drink or smoke when using this product.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

Get medical advice/attention if you feel unwell.

Dispose of contents/container to in accordance with local/regional/national/international regulation.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher Not applicable.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name : Aluminum oxide

INDEX No : N/A EC No : 215-691-6

according to Regulation (EC) No 1907/2006 (REACH)

YOKOGAWA

Part No: K9088PE Rev.1.00 Revision date: 9th May 2019

REACH Registration No : N/A

CAS No : 1344-28-1

Purity :>99.0%

Synonymes : Aluminium oxide, Alumina

Stabiliser : not available Hazard impurities : not available

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Consult a physician. Show this safety data sheet to the doctor in

attendance.

Following inhalation: Remove victim to fresh air and keep at rest in a position comfortable

for breathing.

Following skin contact: Wash skin thoroughly with soap and water.

Following eye contact: Flush eyes thoroughly with water, take care to rinse under eyelids. If

irritation persists, continue flushing for 15 minutes, rinsing from time to time under eyelids. If discomfort continues, consult a physician.

Do not scrub, since the abrasion may cause irritation.

Following ingestion: Rinse mouth. Never give anything by mouth to an unconscious

person. Call a physician or poison control center immediately.

Do not induce vomiting without medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Refer to Section 2.2 and Section 11.

4.3 Indication of any immediate medical attention and special treatment needed

No information available

SECTION 5: Firefighting measures

5.1 Extinguishing media:

Suitable extinguishing media:

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : No information available

5.2 Special hazards arising from the substance or mixture

No information available

5.3 Advice for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary

according to Regulation (EC) No 1907/2006 (REACH)

YOKOGAWA

Part No: K9088PE Rev.1.00 Revision date: 9th May 2019

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes. Avoid breathing dust. Ensure adequate ventilation. Evacuate personnel to safe areas.

6.2 Environmental precautions:

No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

For containment: Put in suitable, closed containers or plastic bags for disposal.

For cleaning up : Wipe with a damp cloth.

6.4 Reference to other sections

For disposal refer to section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures: Avoid contact with eyes or clothing. Use personal protective

equipment as required.

Measures to prevent dust generation: Use ventilation equipment as appropriate.

Advice on general occupational hygiene: Wash hands thoroughly after handling.

Not to eat, drink and smoke in work areas.

7.2 Conditions for safe storage, including any incompatibilities

Further information on storage conditions:

Keep in cool and dried place, away from direct sunlight.

7.3 Specific end uses

Refer to section 1.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits:

(ACGIH TLV) TWA: 10 mg/m³ (Total dust)

(OSHA PEL) TWA: 15mg/m³ (Total dust)

TWA: 5mg/m³ (Respirable Dust)

^{*} ACGIH: American Conference of Governmental Industrial Hygienist

according to Regulation (EC) No 1907/2006 (REACH)

YOKOGAWA

Part No: K9088PE Rev.1.00 Revision date: 9th May 2019

* TLV: Threshold Limit Value

* OSHA: Occupational Safety and Health Administration

* PEL : Permissible Exposure Limits

8.2 Exposure controls

Use ventilation equipment as appropriate.

Personal protective equipment:

Eye / Face protection : Safety glasses recommended.Skin protection : Protective glove (as appropriate)

Respiratory protection: Dust mask recommended. (If excessive dust concentrations occur)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Powder Colour : White

Odour : Odourless

pH : No data available

Melting point / freezing point : 2030°C (HSDB), 2054°C (ICSC), 2072°C (IUCLID)

Initial boiling point /boiling range: 2977°C (HSDB), 3000°C (ICSC)

Flash point : incombustibility
Evaporation rate : No data available
Flammability (solid, gas) : No data available

Upper/lower flammability or explosive limits

Upper : No data availableLower : No data available

Vapour pressure : 0hPa(20°C), 1hPa(2158°C) (HSDB)

Vapour density : No data available

Relative density: 3.4-4.0 (HSDB), 3.97 (ICSC)

Solubilities : insoluble

Partition coefficient(n-octanol/water) : No data available

Auto-ignition temperature: No data availableDecomposition temperature: No data availableViscosity: No data availableExplosive properties: No data availableOxidising properties: No data available

9.2 Other information:

Physical hazards: No data available

according to Regulation (EC) No 1907/2006 (REACH)

YOKOGAWA

Part No: K9088PE Rev.1.00 Revision date: 9th May 2019

SECTION 10: Stability and reactivity

10.1 Reactivity : Stable under recommended storage conditions.

10.2 Chemical stability : Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions : No data available

10.4 Conditions to avoid: Extremes of temperature and direct sunlight.

10.5 Incompatible materials : No information available

10.6 Hazardous decomposition products : No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

(a) acute toxicity; Oral LD50> 5000mg/kg (RAT, IUCLID (2000)).

Dermal LD50 = no data available Inhalation LC50 = no data available

(b) skin corrosion/irritation ; No data available (c) serious eye damage/irritation ; No data available

(d) respiratory or skin sensitization; No data available(e) germ cell mutagenicity; No data available(f) carcinogenicity; No data available(g) reproductive toxicity; No data available

(h) STOT-single exposure;

Inhalation of concentrated dust caused irritation of upper airway.

(ICSC 0351-ALUMINIUM OXIDE ICSC (2000))

(i) STOT-repeated exposure

According to one report, occupational exposure to aluminum oxide caused lung fibrosis, but detailed information is not available. (8.2.1 Respiratory tract effect (EHC (1999)))

(j) aspiration hazard ; No data available

11.2 Other information

When used and handled according to specifications, the product does not have any harmful effects.

SECTION 12: Ecological information

12.1 Toxicity:

Aquatic toxicity : NOEC (Algae) : 100mg/L 72h (not harmful)

NOEC (Daphnia magna): 100mg/L 48h (not harmful) NOEC (Fish; Salmo trutta): 100mg/L 96h (not harmful)

according to Regulation (EC) No 1907/2006 (REACH)

YOKOGAWA

Part No: K9088PE Rev.1.00 Revision date: 9th May 2019

(IUCLID dataset Existing chemical substance ID: 1344-28-1 (2000))

12.2 Persistence and degradability : No information available

12.3 Bioaccumulative potential : No information available

12.4 Mobility in soil : No information available

12.5 Results of PBT and vPvB assessment : Not applicable.

12.6 Other adverse effects:

No ecological problems are to be expected when the product is handled and used with due care and attention.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product / Packaging disposal:

Disposal should be in accordance with applicable regional, national and local laws and regulations. We recommend that you contact either the authorities in charge or approved waste disposal companies which will advise you on how to dispose the special waste.

Empty container can be treated like household refuse.

Waste codes / waste designations according to EWC:

16 03 03; inorganic wastes containing dangerous substances

SECTION 14: Transport information

		Land transport (ADR/RID)	Inland waterway transport (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1	UN No.	-	-	-	-
14.2	UN Proper shipping name	Non- hazardous material	Non- hazardous material	Non- hazardous material	Non- hazardous material
14.3	Transport hazard class(es)	-	-	-	-
14.4	Packing group	-	-	-	-
14.5	Envirommental hazards	Not applicable	Not applicable	Not applicable	Not applicable

according to Regulation (EC) No 1907/2006 (REACH)

YOKOGAWA

Part No: K9088PE Rev.1.00 Revision date: 9th May 2019

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This product is not subject to classification according to regulation EC 1272/2008 [CLP].

Other regulations, limitations and prohibitive regulations

Directive 67/548/EEC

Hazard symbol : Not Listed Risk phrase : Not Listed Safety phrase : Not Listed

International Regulation

EINECS (EU): 215-691-6 IECSC (China): Listed EINECS (EU): 215-691-6 KECL (Korea): KE-01012 TSCA (US): Listed

PICCS (Philippine): Listed DSL (Canada): Listed AICS (Australia): Listed ENCS (Japan): 1-23

Observe the normal safety regulations when handling chemicals.

15.2 Chemical Safety Assessment:

For this product a chemical safety assessment is not required.

SECTION 16: Other information

16.1 Indication of changes

Issued on 2Xth April 2019 (Rev.1.00)

16.2 Abbreviations and acronyms:

No information available.

according to Regulation (EC) No 1907/2006 (REACH)

YOKOGAWA

Part No: K9088PE Rev.1.00 Revision date: 9th May 2019

16.3 Key literature references and sources for data

SDS provided by NIPPON LIGHT METAL Company, Ltd.
Aluminum Oxide January 25th, 2019

SDS provided by NIPPON LIGHT METAL Company, Ltd.

Aluminum Oxide (No. A-01-1) August 9th, 2016 (for Japan)

SDS provided by SHOWA DENKO K.K.
Alumina (aluminum oxide) July 9, 2010

SDS provided by FUJIFILM Wako Pure Chemical Corporation W01W0101-0196 JGHEEN 05-Feb-2019

SDS provided by Sigma-Aldrich Japan G.K.
Aluminum oxide 13.12.2018

16.4 Further information:

The information provided in this Safety Data Sheet is based on the present state of knowledge and is believed to be correct. Its purpose is to characterize the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.