



GOVERNMENT OF INDIA
MINISTRY OF COMMERCE & INDUSTRY
PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION (PESO)
(Formerly Department of Explosives)
CGO COMPLEX SEMINARY HILLS
NAGPUR 440006



Letter No: A/P/HQ/MH/104/ 1747
(P227894)

Email :explosives@explosives.gov.in

Phone/Fax No.2510248/2510577

Dated : 26/2/2009

To
M/s. Honeywell International Inc.
16404 Block Canyon Highway,
Phoenix, Arizona 85053,
USA.

Sub :Approval of Remote Meter Assembly Type : RMA300...-3D.

Dear Sir(s),

Please refer to your letter No Hw/101208/CCOE-STT3000 dated 10/12/2008 on the above subject.

The following Flame Proof/Intrinsically Safe equipment(s) manufactured by you according to EN 50014 (1997)/EN 60079-0 (2000), EN 50018 (2000)/EN 60079-1 (2004) and EN 50020 (1994)/EN 60079-11 (2007) standards covered under LCIE Test reports mentioned below is approved for use in Zone 1 of Gas , Group IIC hazardous areas coming under the purview of the Petroleum Rules, 2002 administered by this Organization.

Sr.No	Description	Safety Protection	CCEs Identification Number	Test House	Test Report No.	Drawing Numbers
1	Remote Meter Assembly Type : RMA300...-3D.	EEx d IIC T6/EEx ia IIC T5	P227894/1	LCIE	LCIE 02 ATEX 6177 X/01 Dt.28/1/2008 LCIE 02 ATEX 6178 X /02 Dt.05/02/2008	As per Test Report

This Approval is granted subject to observance of the following conditions:-

- 1). The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the LCIE Test Reports referred to above
- 2). The equipment shall be used only with approved type of accessories and associated apparatus
- 3). Each equipment shall be marked either by raised lettering cast integrally or by plate attached to the main structure to indicate conspicuously
 - (a) Name of the manufacturer
 - (b) Name and number by which the equipment is identified


- (c) Number & Date of the test Report of the LCIE applicable to the equipment
- (d) CCEs Identification Number of this letter by which use of the apparatus is approved
- 4). A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the LCIE test report and is identical with the one tested and certified at LCIE shall be furnished with each equipment
- 5). The customer shall be supplied the copy of this letter, an extract of the conditions and maintenance schedule, if any recommended by LCIE in their test reports and copy of instructions booklet detailing operation and maintenance of the equipment so as to maintain its Flame Proof safety characteristics
- 6). The After sales service and maintenance of subject equipment shall be looked after by your representative M/s. HONEYWELL Automation India Ltd.,,56 & 57, Hadapsar,Indl Estate,PUNE (Dist.) ,Maharashtra (State)

This Approval also covers the permissible variation as approved under the LCIE test report referred above .This approval may be deemed to have been revoked with immediate effect at any time, if any of the conditions subject to which approval has been granted is violated or not complied with. The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users /your customers of the subject equipment may please be collected and furnished to this office for verification and record at regular intervals.

This approval is otherwise valid a period of five years from the date of issue.

Yours faithfully,



(R.A.GUJAR)
 Controller of Explosives
 for Chief Controller of Explosives
 Nagpur

Copy to :

- 1.The Jt. Chief Controller of Explosives, West Circle, Mumbai; East Circle, KolKata; South Circle, Chennai; North Circle, Faridabad; Central Circle, Agra.
- 2.M/s. HONEYWELL Automation India Ltd.,56 & 57, Hadapsar,Indl Estate, PUNE,Distt. (Maharashtra)



for Chief Controller of Explosives