



IECEx Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification Scheme for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: **IECEx LCI 11.0049X** issue No.:1

Certificate history:
Issue No. 1 (2011-9-8)
Issue No. 0 (2011-8-3)

Status: **Current**

Date of Issue: **2011-09-08** Page 1 of 4

Applicant: **ABB Inc.**
843 N. Jefferson St.
Lewisburg, WV 24901
United States of America

Electrical Apparatus: **pH/ORP/pION transmitter APA 592 and conductivity transmitter ACA592**
Optional accessory:

Type of Protection: **Ex d and Ex tD**

Marking: **ABB**
Address
Type: AxA592
Serial number:
Year of construction:
Ex d IIC T4
Ex tD A21 IP66 T135°C
-20°C ≤ Tamb ≤ +60°C
IECEx LCI 11.0049X
WARNING: DO NOT OPEN WHEN ENERGIZED

Approved for issue on behalf of the IECEx
Certification Body:

Marc GILLAUX

Position:

Certification Manager

Signature:
(for printed version)

Michel EQUI

Date:

08 SEP. 2011

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting the Official IECEx Website.

Certificate issued by:

Laboratoire Central des Industries Electriques (LCIE)
33 Avenue du General Leclerc
FR-92260 Fontenay-aux-Roses
France





IECEX Certificate of Conformity

Certificate No.: IECEx LCI 11.0049X

Date of Issue: 2011-09-08

Issue No.: 1

Page 2 of 4

Manufacturer: **ABB Inc.**
843 N. Jefferson St.
Lewisburg, WV 24901
United States of America

Manufacturing location(s):

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

STANDARDS:

The electrical apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

IEC 60079-0 : 2004 Edition: 4.0	Electrical apparatus for explosive gas atmospheres - Part 0: General requirements
IEC 60079-1 : 2003 Edition: 5	Electrical apparatus for explosive gas atmospheres - Part 1: Flameproof enclosure 'd'
IEC 61241-0 : 2004 Edition: 1	Electrical apparatus for use in the presence of combustible dust - Part 0: General requirements
IEC 61241-1 : 2004 Edition: 1	Electrical apparatus for use in the presence of combustible dust - Part 1: Protection by enclosures "tD"

*This Certificate **does not** indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above.*

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in

Test Report:
FR/LCI/ExTR11.0050/00

Quality Assessment Report:

NL/KEM/QAR09.0015/00



IECEx Certificate of Conformity

Certificate No.: IECEx LCI 11.0049X

Date of Issue: 2011-09-08

Issue No.: 1

Page 3 of 4

Schedule

EQUIPMENT:

Equipment and systems covered by this certificate are as follows:

Apparatus APA592 is a pH/ORP/plON transmitter and ACA592 is a conductivity transmitter. They deliver a current in the range 4-20mA proportional to the level detected by sensor. The ambient temperature range is -20°C to +60°C. Transmitter is supplied by a DC voltage source 42V max. and has a maximum current draw of 23 mA.

CONDITIONS OF CERTIFICATION: YES as shown below:

Ambient temperature range: from -20°C to +60°C.



IECEx Certificate of Conformity

Certificate No.: IECEx LCI 11.0049X

Date of Issue: 2011-09-08

Issue No.: 1

Page 4 of 4

DETAILS OF CERTIFICATE CHANGES (for Issues 1 and above):

Issue 1: correction of presentation.

IECEx Technical Report: FR/LCI/ExTR11.0050/00 details

ExTR :

ExTR Reference Number *: (automatic numbering)	FR/LCI/ExTR11.0050/00
Status*:	Issued
ExTR Free Reference Number*:	106457-611093
Date of Issue*: (yyyy-mm-dd)	2011-08-03
List of Standards Covered*:	IEC 60079-0 (Ed.4.0); IEC 60079-1 (Ed. 5); IEC 61241-0 (Ed.1); IEC 61241-1 (Ed.1)
Issuing ExTL*:	LCI - Laboratoire Central des Industries Electriques (LCIE)
Endorsing ExCB*:	LCI - Laboratoire Central des Industries Electriques (LCIE)
Manufacturer*:	ABB Inc. 843 N.Jefferson St. Lewisburg, WV 24901
Country of Manufacture*:	United States of America
Ex Protection*:	Ex d and Ex tD
Ratings:	Voltage < 42VDC, current < 23 mA
Product*:	pH/ORP/piON transmitter APA592 and conductivity transmitter ACA592
Model Reference*:	APA592 and ACA592
Related IECEx Certificates:	IECEx LCI 11.0049X issue: 0 [Current] IECEx LCI 11.0049X issue: 1 [Current]
Comment:	
Attachment:	